

ANALYSIS REQUEST FORM



MSE Technology Applications, Inc.
Laboratory Services

200 Technology Way, P.O. Box 4078 Butte, MT 59701

Phone: (406) 494-7334 Fax: (406) 494-7230

www.mse-ta.com labinfo@mse-ta.com

**Certified by the Montana Department of Health and Environmental Sciences
according to the Federal Drinking Water Standards**

Lab No.	Received at Lab:
	Results Reported:
	Payment Received:

Where Was Sample Collected (street address, house #, legal description, etc.)

Address: _____

City: _____ County: _____

Date Collected: _____ Time: _____

Type of Supply (circle one) Well (Depth of Well _____) Spring, Cistern, Lake, or other Surface Supply: _____

Collector of Sample: _____ Phone No.: _____

Person to Receive Report (Please fill in Mailing Address):

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

PAYMENT MUST ACCOMPANY SAMPLE

2006

CIRCLE REQUESTED ANALYSIS
Sample bottles may vary with type of analysis

Acidity	\$ 15.00	BOD	\$ 35.00
Alkalinity (Total)	\$ 10.00	COD	\$ 20.00
Alkalinity (Forms)	\$ 10.00	Nitrogen	
Calcium	\$ 12.00	Ammonia	\$ 15.00
Chloride	\$ 10.00	Kjeldahl, Total	\$ 25.00
Chlorine	\$ 20.00	Nitrate	\$ 15.00
Fluoride	\$ 10.00	Nitrite	\$ 15.00
Hardness	\$ 20.00	Total Nitrate/Nitrite	\$ 15.00
Metals:		pH	\$ 8.00
Arsenic	\$ 12.00	Phosphorus, Total	\$ 15.00
Barium	\$ 12.00	Phosphorus, Ortho	\$ 10.00
Cadmium	\$ 12.00	Potassium	\$ 12.00
Chromium	\$ 12.00	Specific Conductance	\$ 8.00
Copper	\$ 12.00	Sodium	\$ 12.00
Iron	\$ 12.00	Solids/Residue:	
Lead	\$ 12.00	Total (TS)	\$ 10.00
Magnesium	\$ 12.00	Total Dissolved (TDS)	\$ 10.00
Manganese	\$ 12.00	Total Suspended (TSS)	\$ 10.00
Mercury	\$ 24.50	Total Volatile (TVS)	\$ 20.00
Selenium	\$ 12.00	Sulfate	\$ 10.00
Silver	\$ 12.00	Turbidity	\$ 8.00
Zinc	\$ 12.00	Corrosivity (LSI)	\$ 40.00

EFFECTIVE JULY 1, 2006